



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

8.1.2

Didactic & Practical Sessions during Practical Sessions

Index

| Sl.No. | Particulars | Page. No. |
|--------|--|-----------|
| 1. | Vaccination Register for Healthcare Workers. | 3 |
| 2. | 2018-Hepatitis B Vaccine Details for Doctors | 3 |
| 3. | 2022-Hepatitis B Vaccine Details of New Employees | 4 |
| 4. | H1N1 Vaccine for Healthcare Workers | 5 |
| 5. | TD Vaccine for Health Care Workers | 6 |
| 6. | Vaccination Details of Students | 7 |
| 7. | Foundation Course 2019-Feedback Analysis | 8 |
| 8. | Pre-Test & Post Test Analysis | 9 |
| 9. | COVID Awareness Classes-2020 | 10 |
| 10. | Foundation Course – Schedule | 11 - 12 |
| 11. | Induction Training for New Employees | 13 - 14 |
| 12. | Isolation of Infectious Wards From Noninfectious Wards | 15 - 16 |
| 13. | Work Restriction for Healthcare Workers | 17 - 18 |
| 14. | Staff Sickness Records 2019-2020 | 19 |
| 15. | Staff Sickness Records 2021-2022 | 20 |
| 16. | Staff Sickness Records 2022 | 21 |
| 17. | Staff Sickness Records 2023 | 22 |
| 18. | Fumigation reports-ICUs and OTs | 23 - 32 |
| 19. | Staff Hepatitis B vaccination 2018 | 33 |
| 20. | Staff Hepatitis B vaccination 2019 | 34 |
| 21. | Staff Hepatitis B vaccination 2020 | 35 |
| 22. | Staff Hepatitis B vaccination 2022 | 36 |
| 23. | CSSD Records - 2020 | |
| a. | Autoclave Internal and External Chemical Indicator | 37 |
| 24. | CSSD Records - 2021 | |
| a. | Autoclave Internal and External Chemical Indicator | 38 |
| b. | Biological Indicator For Autoclave "A" Machine | 39 |
| c. | Biological Indicator For Autoclave "B" Machine | 40 |
| d. | Biological Indicator For 'Sterrad" Machine | 40 |
| e. | Biological Indicator For 'ETO" Machine | 41 |

Prof. T. TRINAVANAN, M.D., D.A.

Dean

Velammal Medical College Hospital
and Research Institute

"Velammal Village"

Madurai-Tuberculosis Ring Road
Anuppenadi, Madurai, T.N.-625 009




VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

| | | |
|-----|--|----|
| f. | Physical Indicator For Autoclave "A" Machine | 42 |
| g. | Physical Indicator For Autoclave "B" Machine | 43 |
| h. | Physical Indicator For "ETO" Machine | 44 |
| i. | Physical Indicator For "Sterrad" Machine | 45 |
| 25. | CSSD Records - 2022 | |
| a. | Internal And External Chemical Indicator For "Autoclave" Machine | 46 |
| b. | Biological Indicator for "Autoclave A" Machine | 47 |
| c. | Biological Indicator for "Autoclave B" Machine | 48 |
| d. | Biological Indicator for "Autoclave C" Machine | 49 |
| e. | Biological Indicator For "ETO" Machine | 50 |
| f. | Biological Indicator for "Sterrad" Machine | 51 |
| g. | Physical Indicator for "Autoclave B" Machine | 52 |
| h. | Physical Indicator for "Autoclave A" Machine | 53 |
| 26. | CSSD Records - 2023 | |
| a. | Internal And External Chemical Indicator for "Autoclave" Machine | 54 |
| b. | Physical Indicator for "Autoclave A" Machine | 55 |
| c. | Physical Indicator for "Autoclave B" Machine | 56 |
| d. | Physical Indicator For "ETO" Machine | 57 |
| e. | Biological Indicator For "Autoclave A" Machine | 58 |
| f. | Biological Indicator for "Autoclave B" Machine | 59 |
| g. | Biological Indicator For "ETO" Machine | 60 |
| h. | Biological Indicator for "Sterrad" Machine | 61 |




VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
 MADURAI - 625009

Vaccination register for Healthcare workers.



2018-Hepatitis B Vaccine Details for Doctors





VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

2022-Hepatitis B Vaccine Details of New Employees

GPS Map Camera

Chinthamani, Tamil Nadu, India
V5P2+C7G, Chinthamani, Tamil Nadu
625009, India
Lat 9.88594°
Long 78.150299°
15/11/22 09:52 AM GMT +05:30

| Sl. No. | Name / Designation | Age | Sex | Religion | Other |
|---------|--------------------|-----|--------|----------|-------|
| 1 | Ms. Jothi Priya | 28 | Female | Hindu | |
| 2 | Mr. Vithanarayan | 28 | Male | Hindu | |
| 3 | Mr. Manjivani | 28 | Male | Hindu | |
| 4 | Ms. Pradeep | 28 | Female | Hindu | |
| 5 | Mr. Venkatesh | 28 | Male | Hindu | |
| 6 | Mr. Subramanian | 28 | Male | Hindu | |
| 7 | Mr. Sathish | 28 | Male | Hindu | |
| 8 | Mr. Rajan | 28 | Male | Hindu | |
| 9 | Mr. Sathish | 28 | Male | Hindu | |
| 10 | Mr. Sathish | 28 | Male | Hindu | |
| 11 | Mr. Sathish | 28 | Male | Hindu | |
| 12 | Mr. Sathish | 28 | Male | Hindu | |
| 13 | Mr. Sathish | 28 | Male | Hindu | |
| 14 | Mr. Sathish | 28 | Male | Hindu | |
| 15 | Mr. Sathish | 28 | Male | Hindu | |
| 16 | Mr. Sathish | 28 | Male | Hindu | |
| 17 | Mr. Sathish | 28 | Male | Hindu | |
| 18 | Mr. Sathish | 28 | Male | Hindu | |
| 19 | Mr. Sathish | 28 | Male | Hindu | |
| 20 | Mr. Sathish | 28 | Male | Hindu | |



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

H1N1 Vaccine for Healthcare Workers

H1N1 VACCINATION
21/11/22

| SNO | NAME | VENO | DATE |
|-----|----------------------|--------|----------|
| 1 | Dr. Kasi Pandian | VC 121 | 21/11/22 |
| 2 | Dr. Suresh | VC 121 | 21/11/22 |
| 3 | Dr. Vimala | VC 121 | 21/11/22 |
| 4 | Dr. Subramanian | VC 121 | 21/11/22 |
| 5 | Dr. Prabhakaran | VC 456 | 21/11/22 |
| 6 | Dr. Vignayam | VC 658 | 21/11/22 |
| 7 | Dr. Nair | VC 512 | 21/11/22 |
| 8 | Dr. Suresh Kumar | VC 584 | 21/11/22 |
| 9 | Dr. Vinay Kumar | VC 778 | 21/11/22 |
| 10 | Dr. K. Suresh | VC 803 | 21/11/22 |
| 11 | Dr. Vignayam | VC 831 | 21/11/22 |
| 12 | Dr. Jaya Prakash | VC 813 | 21/11/22 |
| 13 | Dr. Arindhan | VC 419 | 21/11/22 |
| 14 | Dr. Rama | VC 220 | 21/11/22 |
| 15 | Dr. Shanmugasundaram | VC 590 | 21/11/22 |
| 16 | Dr. Arindhan | VC 590 | 21/11/22 |
| 17 | Dr. Parameswaran | VC 590 | 21/11/22 |
| 18 | Dr. Arindhan | VC 590 | 21/11/22 |
| 19 | Dr. Arindhan | VC 590 | 21/11/22 |
| 20 | Dr. Arindhan | VC 590 | 21/11/22 |
| 21 | Dr. Arindhan | VC 590 | 21/11/22 |
| 22 | Dr. Arindhan | VC 590 | 21/11/22 |
| 23 | Dr. Arindhan | VC 590 | 21/11/22 |
| 24 | Dr. Arindhan | VC 590 | 21/11/22 |
| 25 | Dr. Arindhan | VC 590 | 21/11/22 |
| 26 | Dr. Arindhan | VC 590 | 21/11/22 |
| 27 | Dr. Arindhan | VC 590 | 21/11/22 |
| 28 | Dr. Arindhan | VC 590 | 21/11/22 |
| 29 | Dr. Arindhan | VC 590 | 21/11/22 |
| 30 | Dr. Arindhan | VC 590 | 21/11/22 |

H1N1 Joe sections

GPS Map Camera

Chinthamani, Tamil Nadu, India
V5P2+C7G, Chinthamani, Tamil Nadu 625009, India
Lat 9.886113°
Long 78.150208°
15/11/22 09:56 AM GMT +05:30

Google



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

TD Vaccine for Health Care Workers

DT VACCINE

| Sl. No. | Department | No. of | Name | Signature |
|---------|------------|--------|-------------------------|-------------|
| 1 | Gen.med | 100 | Dr. Sridhar Jeeva | [Signature] |
| 2 | Gen.med | 100 | Dr. Manoj | [Signature] |
| 3 | Gen.med | 100 | Dr. Sathish Kumar | [Signature] |
| 4 | Gen.med | 100 | Dr. Jothi | [Signature] |
| 5 | Gen.med | 100 | Dr. S. Nirmala Devi | [Signature] |
| 6 | Res. Med | 100 | Dr. Jethu Lakshmi Kumar | [Signature] |
| 7 | Res. Med | 100 | Dr. H. Nagarajan | [Signature] |
| 8 | Res. Med | 100 | Dr. Gopalesh Kumar | [Signature] |
| 9 | Res. Med | 100 | Dr. Lakshmi Devi | [Signature] |
| 10 | Res. Med | 100 | Dr. S. Jyotsna | [Signature] |
| 11 | OTs | 100 | Dr. P. Sathish Kumar | [Signature] |
| 12 | OTs | 100 | Dr. Karthi P | [Signature] |
| 13 | OTs | 100 | Dr. Chinnappa | [Signature] |

GPS Map Camera

Chinthamani, Tamil Nadu, India
V5P2+M3V, Chinthamani, Tamil Nadu 625009, India
Lat 9.886786°
Long 78.149852°
15/11/22 09:56 AM GMT +05:30

Google



VELAMMAL MEDICAL COLLEGE

HOSPITAL AND RESEARCH INSTITUTE

MADURAI - 625009

Vaccination Details of Students

Foundation course for students

| Date | Day | Group A | Group B | Group C | Faculty/Organizers |
|--------|-----|---|------------------|--|---|
| Aug-10 | Sat | Inauguration program (students with parents) | | | MEU/Dr. John Rajpathy/Dr. Trupti / Dr. Rekha |
| | | - | | | |
| Aug-11 | Sun | - | | | |
| Aug-12 | Mon | Bakrid - Holiday | | | |
| Aug-13 | Tue | Students interaction introduction, Ice breaking, Dreams and visions | | | MEU/Dr. Rena/Dr. Yegu |
| | | The MBBS Program and how to approach it from coordinators and students. | | | Dr. Trupti / MSAI |
| Aug-14 | Wed | The Medical profession and the Physicians role in the society | | | Dr. Manivanan/ Dr. Muthuramalingham |
| | | Orientation to the First year Subjects Anatomy | | | Dr. Sumana |
| Aug-15 | Thu | Independence Day - Holiday | | | |
| Aug-16 | Fri | The history of Medicine | The MBBS program | Team work, Discipline, Self-motivation and empathy | Dr. Mahesh/Dr Mohanty/CEO Mr. Venkata Phanidhar |
| | | Orientation to the First year Subjects Physiology | | | Dr. Anu |
| Aug-17 | Sat | Sports | | | Dept of Physical Education |
| | | - | | | |
| Aug-18 | Sun | Holiday | | | |

| | | | | | |
|--------|-----|--|---|---|---|
| Aug-19 | Mon | Alternate health care systems | Health care system and its delivery | National Health priorities and policies | Dr. Sudhir Nelson/ Dr Samir Bele/Dr. Trupti |
| | | Orientation to the First year Subjects Biochemistry | | | Dr. Mohanthy |
| Aug-20 | Tue | Medical ethics, attitudes and Professionalism | Interpersonal relationships | Post-graduation planning / NEXT exams. Planning for future. | Dr. Ramenujam/Dr. Yegu /Dr. Navneeth |
| | | Visit to hospital block | | | CEO Mr. Venkata Phanidhar |
| Aug-21 | Wed | Universal precaution and vaccination | Patient safety and biohazard safety | Principles of family practice | Dr. Jhansi Charles/Dr. Ramesh (micro)/ Dr. Saravanan |
| | | Visit to community Health care and centers | | | Community Medicine |
| Aug-22 | Thu | Communication skills | Time management | Learning including self-directed learning | Dr. Rena/Dr. Joena/ Dr. Suganthy |
| | | AETCOM Module I | | | Dr. Raj Kishore |
| Aug-23 | Fri | Documents Pertaining to MBBS | English Language - Importance in MBBS program | Stress management | Dr. Saskala/Dr. Mohanty/Dr. Rena |
| | | AETCOM Module II | | | Dr. Raj Kishore |
| Aug-24 | Sat | Sports | | | Dept of Physical education |
| Aug-25 | Sun | Holiday | | | |
| Aug-26 | Mon | Campus life, Sports facilities, Velemmal trophy, intramural sports/Cultural/ The hand book | Portfolio management | Research and Ethics committee. | Dr. John Rajpathy/ Dr. Trupti / Dr. Raj Kishore |
| | | Computer Skills I | | | VCET |
| Aug-27 | Tue | Infection control and Biomedical waste management | Anti-Ragging policy | Mentorship program | HICC/ Dr. John Rajpathy/Dr. Mahesh/ |



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

Foundation Course 2019-Feedback Analysis

Day :21.08.19

Topic : Patient Safety & Biohazard safety

Moderator : Dr. A. Ramesh, Dept. of Microbiology

No. of respondents : 150 students of [I yr. M.B.B.S]


Feedback form evaluation :

Analysis of 7 Questions was done on the Likert based scale of analysis.

Likert scoring :

| Sl.No. | Scale range | Interpretation |
|--------|-------------|-------------------|
| 1. | 5 | Strongly agree |
| 2. | 4 | Agree |
| 3. | 3 | Somehow agree |
| 4. | 2 | Disagree |
| 5. | 1 | Strongly disagree |

The analysis revealed a score of 4.33, which means the respondents "Agree" to various components of teaching practices (Viz: preparation, organization, clarity, teaching methods, teaching aids, stimulated interest, opportunity for interaction) as mentioned in the feedback form.


Prof. T. THIRUNAVUKARASU, M.D.,D.A.,
Velammal Medical College Hospital
and Research Institute
"Velammal Village"
Madurai-Tuticorin Ring Road
Anuppanadi, Madurai, T.N.-625 009



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Pre-Test & Post Test Analysis

A replica of 4 MCQ questions were given in the Pretest & Post test session.


The results are tabulated below.

No. of Participants : 150 Students

| Candidate's score | Pre test | Post test |
|-----------------------|------------|------------|
| 25% | 19 | Nil |
| 50% | 74 | 1 |
| 75% | 55 | 58 |
| 100% | 2 | 91 |
| Total students | 150 | 150 |

The analysis revealed a marked improvement of knowledge domain in the post test session when compared to Pre-test session. 91 candidates (60%) secured 100% marks in post test when compared to 2 candidates (1.3%).

Similarly, none of the candidates scored below 50% marks in Post-test.


Prof. T. THIRUNAVUKKARASU, M.D.,D.A.,
Dean
Velammal Medical College Hospital
and Research Institute
"Velammal Building"
Madurai-Tulicoinn Ring Road
Anuppanadi, Madurai, T.N.-625 009



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

COVID Awareness Classes-2020

From

Ref no : 24/ Micro/2020

Professor & HOD,
Department of Microbiology,
VMCH&RI,
Madurai-9.

To

The Dean,
VMCH&RI,
Madurai-9.

Respected Sir,

Sub: Awareness classes for Novel Corona virus for MBBS students -Reg.

As the Corona Virus infection seems to spread very fast in many parts of the country, it is mandatory to give awareness to all Medical & Paramedical staff of our institution. To start with, we are planning to conduct an awareness programme about **Corona virus** for all Batches of MBBS students of our college. Herewith attaching the tentative schedule for your kind approval and perusal.


| Topics | Speakers |
|---|---|
| Virology of Corona virus (15 minutes) | Dr. Ramesh, Professor, Dept. of Microbiology |
| Clinical features of Corona viral infection (15 minutes) | Dr. Jerald Majallah, Professor, Dept. of Medicine |
| Laboratory diagnosis of Corona viral infection (15 minutes) | Dr. Rajendran, Associate Prof., Dept. of Microbiology |
| Treatment and prevention of corona viral infection (15 minutes) | Dr. Sairam, Senior Resident., Dept. of Medicine |

| Date | Time | Batch | Venue |
|-------------------------|--------------------------|------------------------|----------------|
| 16.03.2020 Monday | 11.00 A.M. To 11.45 A.M. | I st year | Lecture Hall 1 |
| 17.03.2020 Tuesday | 10.00 A.M. To 10.45 A.M. | II nd year | Lecture Hall 2 |
| 18.03.2020 Wednesday | 09.00 A.M. To 09.45 A.M. | III rd year | Lecture Hall 3 |
| 19.03.2020 Thursday | 09.00 A.M. To 09.45 A.M. | IV th year | Lecture Hall 4 |

Thanking you,

Date
15.03.2020

Yours sincerely,

Professor 
12/3/20
Department of Microbiology



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

Foundation Course – Schedule

Course - 1

Date :02-02-2021

Day :Tuesday

Time :4-5 pm

Topic :Universal Precautions

- Definition of Universal Precautions (UP)
- Interactive lecture about:
- Definition of UP
- Essential components of UP Infective and non-infective body fluids (may use a drill to recap)

Module :

FC 2.3

FC 2.4

FC 2.5

FC 2.6

Faculty :Dr. Ramesh Micro

Course - 2


Date :03-02-2021

Day :Wednesday

Time :4-5 pm

Topic Interactive practical demonstration

- Divide the students into groups of not more than 10 per group.
- There should be one faculty per group who will conduct an interactive practical demo about
- Use of hand rub
- Gloving and de-gloving


Prof. T. THIRUNAVUKKARASU, M.D.,D.A.,
Dean

Velammal Medical College Hospital
and Research Institute
"Velammal Village"
Madurai-Tuticorin Ring Road
Anuppanadi, Madurai, T.N.-625 009



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

The students will be then allowed to demonstrate the correct method and receive feedback.

Module :

FC 2.3
FC 2.4
FC 2.5
FC 2.6

Faculty :Dr. Rajendran Micro

Course - 2

Date :04-02-2021

Day :Thursday


Time:4-5 pm

- Interactive practical demonstration
- Divide the students into groups of not more than 10 per group.
- There should be one faculty per group who will conduct an interactive practical demo about
- Use of hand rub
- Gloving and de-gloving

Module :

FC 2.3
FC 2.4
FC 2.5
FC 2.6

Faculty :Dr. Vithiya Micro


Prof. T. THIRUNAVUKKARASU, M.D.,D.A.
Dean
Velammal Medical College Hospital
and Research Institute
"Velammal Village"
Madurai-Tulicorin Ring Road
Anuppanadi, Madurai, T.N.-625 009



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Induction Training for New Employees

Velammal Medical College Hospital & Research Institute
(Specialty Wings)

TRAINING & DEVELOPMENT REGISTER

Topic: Agenda Items Update Date: 22/11/22

Speaker: Dr. Manjushree Time: 10:30 AM to 12:00 PM

Speakers: Training Programs / Department Meeting / Feedback Session / Workshop (Please *)

| Sl. No. | Emp. No. | Name | Department | Signature |
|---------|----------|-----------|------------|-------------|
| 1 | 10001 | S. Suresh | ENT | [Signature] |
| 2 | 10002 | V. Suresh | ENT | [Signature] |
| 3 | 10003 | R. Suresh | ENT | [Signature] |
| 4 | 10004 | P. Suresh | ENT | [Signature] |
| 5 | 10005 | S. Suresh | ENT | [Signature] |
| 6 | 10006 | M. Suresh | ENT | [Signature] |
| 7 | 10007 | P. Suresh | ENT | [Signature] |
| 8 | 10008 | J. Suresh | ENT | [Signature] |
| 9 | 10009 | K. Suresh | ENT | [Signature] |
| 10 | 10010 | P. Suresh | ENT | [Signature] |
| 11 | 10011 | P. Suresh | ENT | [Signature] |
| 12 | 10012 | A. Suresh | ENT | [Signature] |
| 13 | 10013 | M. Suresh | ENT | [Signature] |
| 14 | 10014 | S. Suresh | ENT | [Signature] |

Velammal Medical College Hospital & Research Institute
(Specialty Wings)


TRAINING & DEVELOPMENT REGISTER

Topic: Agenda Items Update Date: 22/11/22

Speaker: Dr. Manjushree Time: 10:30 AM to 12:00 PM

Speakers: Training Programs / Department Meeting / Feedback Session / Workshop (Please *)

| Sl. No. | Emp. No. | Name | Department | Signature |
|---------|----------|-----------|------------|-------------|
| 20 | 10020 | P. Suresh | ENT | [Signature] |
| 21 | 10021 | K. Suresh | ENT | [Signature] |
| 22 | 10022 | A. Suresh | ENT | [Signature] |
| 23 | 10023 | K. Suresh | ENT | [Signature] |
| 24 | 10024 | S. Suresh | ENT | [Signature] |
| 25 | 10025 | K. Suresh | ENT | [Signature] |
| 26 | 10026 | M. Suresh | ENT | [Signature] |
| 27 | 10027 | M. Suresh | ENT | [Signature] |
| 28 | 10028 | K. Suresh | ENT | [Signature] |
| 29 | 10029 | M. Suresh | ENT | [Signature] |
| 30 | 10030 | J. Suresh | ENT | [Signature] |
| 31 | 10031 | P. Suresh | ENT | [Signature] |
| 32 | 10032 | P. Suresh | ENT | [Signature] |



Anuppanadi, Tamil Nadu, India
5/84, Ganga Nagar, Mel, Anuppanadi, Tamil Nadu
625009, India
Lat 9.886486°
Long 78.150582°
23/11/22 10:58 AM GMT +05:30



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Velammal Medical College Hospital & Research Institute
(Specialty Wings)

TRAINING & DEVELOPMENT REGISTER

Date: 23/11/22

Topic: *Hand Hygiene*

Speaker: *Dr. M. S. Srinivasan*

Specification: *Training Programme / Department Meeting / Feedback Session / Workshop (Please ✓)*

| Sl. No. | Emp. No. | Name | Department | Signature |
|---------|----------|------------------|------------|-------------|
| 1 | 2074 | S. Subashini | Nursing | [Signature] |
| 2 | 2075 | K. Sathya Devi | Nursing | [Signature] |
| 3 | 2076 | F. Parthasarathy | Nursing | [Signature] |
| 4 | 2077 | I. Kalayaperumal | Nursing | [Signature] |
| 5 | 2078 | R. Varadachari | ER | [Signature] |
| 6 | 2079 | M. Deivanai | Dental | [Signature] |
| 7 | 2080 | P. Prasad | Physio | [Signature] |
| 8 | 2081 | S. Manoharan | Physio | [Signature] |
| 9 | 2082 | S. Sangeetha | Physio | [Signature] |
| 10 | 2083 | R. Raju | Physio | [Signature] |
| 11 | 2084 | S. Sangeetha | Physio | [Signature] |
| 12 | 2085 | S. Sangeetha | Physio | [Signature] |
| 13 | 2086 | S. Sangeetha | Physio | [Signature] |

Velammal Medical College Hospital & Research Institute
(Specialty Wings)

TRAINING & DEVELOPMENT REGISTER


Date: 23/11/22

Topic: *Hand Hygiene*


Speaker: *Dr. M. S. Srinivasan*

Specification: *Training Programme / Department Meeting / Feedback Session / Workshop (Please ✓)*

| Sl. No. | Emp. No. | Name | Department | Signature |
|---------|----------|-----------------|------------|-------------|
| 14 | 2087 | M. Anand | Physio | [Signature] |
| 15 | 2088 | P. A. Sangeetha | Cath Lab | [Signature] |
| 16 | 2089 | M. Srinivasan | Cath Lab | [Signature] |
| 17 | 2090 | M. Anand | ER | [Signature] |
| 18 | 2091 | T. Anand | ER | [Signature] |
| 19 | 2092 | M. Anand | ER | [Signature] |
| 20 | 2093 | M. Anand | ER | [Signature] |
| 21 | 2094 | M. Anand | ER | [Signature] |
| 22 | 2095 | M. Anand | ER | [Signature] |
| 23 | 2096 | M. Anand | ER | [Signature] |
| 24 | 2097 | M. Anand | ER | [Signature] |
| 25 | 2098 | M. Anand | ER | [Signature] |
| 26 | 2099 | M. Anand | ER | [Signature] |
| 27 | 2100 | M. Anand | ER | [Signature] |
| 28 | 2101 | M. Anand | ER | [Signature] |
| 29 | 2102 | M. Anand | ER | [Signature] |
| 30 | 2103 | M. Anand | ER | [Signature] |
| 31 | 2104 | M. Anand | ER | [Signature] |
| 32 | 2105 | M. Anand | ER | [Signature] |
| 33 | 2106 | M. Anand | ER | [Signature] |
| 34 | 2107 | M. Anand | ER | [Signature] |
| 35 | 2108 | M. Anand | ER | [Signature] |
| 36 | 2109 | M. Anand | ER | [Signature] |
| 37 | 2110 | M. Anand | ER | [Signature] |
| 38 | 2111 | M. Anand | ER | [Signature] |
| 39 | 2112 | M. Anand | ER | [Signature] |
| 40 | 2113 | M. Anand | ER | [Signature] |
| 41 | 2114 | M. Anand | ER | [Signature] |
| 42 | 2115 | M. Anand | ER | [Signature] |
| 43 | 2116 | M. Anand | ER | [Signature] |
| 44 | 2117 | M. Anand | ER | [Signature] |
| 45 | 2118 | M. Anand | ER | [Signature] |
| 46 | 2119 | M. Anand | ER | [Signature] |
| 47 | 2120 | M. Anand | ER | [Signature] |
| 48 | 2121 | M. Anand | ER | [Signature] |
| 49 | 2122 | M. Anand | ER | [Signature] |
| 50 | 2123 | M. Anand | ER | [Signature] |
| 51 | 2124 | M. Anand | ER | [Signature] |
| 52 | 2125 | M. Anand | ER | [Signature] |
| 53 | 2126 | M. Anand | ER | [Signature] |
| 54 | 2127 | M. Anand | ER | [Signature] |
| 55 | 2128 | M. Anand | ER | [Signature] |
| 56 | 2129 | M. Anand | ER | [Signature] |
| 57 | 2130 | M. Anand | ER | [Signature] |
| 58 | 2131 | M. Anand | ER | [Signature] |
| 59 | 2132 | M. Anand | ER | [Signature] |
| 60 | 2133 | M. Anand | ER | [Signature] |
| 61 | 2134 | M. Anand | ER | [Signature] |
| 62 | 2135 | M. Anand | ER | [Signature] |
| 63 | 2136 | M. Anand | ER | [Signature] |
| 64 | 2137 | M. Anand | ER | [Signature] |
| 65 | 2138 | M. Anand | ER | [Signature] |
| 66 | 2139 | M. Anand | ER | [Signature] |
| 67 | 2140 | M. Anand | ER | [Signature] |
| 68 | 2141 | M. Anand | ER | [Signature] |
| 69 | 2142 | M. Anand | ER | [Signature] |
| 70 | 2143 | M. Anand | ER | [Signature] |
| 71 | 2144 | M. Anand | ER | [Signature] |
| 72 | 2145 | M. Anand | ER | [Signature] |
| 73 | 2146 | M. Anand | ER | [Signature] |
| 74 | 2147 | M. Anand | ER | [Signature] |
| 75 | 2148 | M. Anand | ER | [Signature] |
| 76 | 2149 | M. Anand | ER | [Signature] |
| 77 | 2150 | M. Anand | ER | [Signature] |
| 78 | 2151 | M. Anand | ER | [Signature] |
| 79 | 2152 | M. Anand | ER | [Signature] |
| 80 | 2153 | M. Anand | ER | [Signature] |
| 81 | 2154 | M. Anand | ER | [Signature] |
| 82 | 2155 | M. Anand | ER | [Signature] |
| 83 | 2156 | M. Anand | ER | [Signature] |
| 84 | 2157 | M. Anand | ER | [Signature] |
| 85 | 2158 | M. Anand | ER | [Signature] |
| 86 | 2159 | M. Anand | ER | [Signature] |
| 87 | 2160 | M. Anand | ER | [Signature] |
| 88 | 2161 | M. Anand | ER | [Signature] |
| 89 | 2162 | M. Anand | ER | [Signature] |
| 90 | 2163 | M. Anand | ER | [Signature] |
| 91 | 2164 | M. Anand | ER | [Signature] |
| 92 | 2165 | M. Anand | ER | [Signature] |
| 93 | 2166 | M. Anand | ER | [Signature] |
| 94 | 2167 | M. Anand | ER | [Signature] |
| 95 | 2168 | M. Anand | ER | [Signature] |
| 96 | 2169 | M. Anand | ER | [Signature] |
| 97 | 2170 | M. Anand | ER | [Signature] |
| 98 | 2171 | M. Anand | ER | [Signature] |
| 99 | 2172 | M. Anand | ER | [Signature] |
| 100 | 2173 | M. Anand | ER | [Signature] |



GPS Map Camera



Google

Anuppanadi, Tamil Nadu, India
 5/84, Ganga Nagar, Mel, Anuppanadi, Tamil Nadu
 625009, India
 Lat 9.886486°
 Long 78.150582°
 23/11/22 11:00 AM GMT +05:30



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Isolation of Infectious Wards From Noninfectious Wards

Isolation room number 1 in 1st floor ICU complex (Negative Pressure Room)



Isolation room number 2 in 1st floor ICU complex (Negative Pressure Room)





VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

4th floor isolation room 1(Negative Pressure Room)



4th floor isolation room 2(Negative Pressure Room)





VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Work Restriction for Healthcare Workers

GPS Map Camera

Chinthamani, Tamil Nadu, India
V5P2+C7G, Chinthamani, Tamil Nadu
625009, India
Lat 9.886126°
Long 78.150564°
16/11/22 12:23 PM GMT +05:30

Google

| Sl. No. | Name of Employee | Age | Gender | Current Health Status | Work Status | Remarks |
|---------|------------------|-----|--------|-----------------------|-------------|---------|
| 17 | ... | ... | ... | ... | ... | ... |
| 18 | ... | ... | ... | ... | ... | ... |
| 19 | ... | ... | ... | ... | ... | ... |
| 20 | ... | ... | ... | ... | ... | ... |
| 21 | ... | ... | ... | ... | ... | ... |
| 22 | ... | ... | ... | ... | ... | ... |
| 23 | ... | ... | ... | ... | ... | ... |
| 24 | ... | ... | ... | ... | ... | ... |
| 25 | ... | ... | ... | ... | ... | ... |
| 26 | ... | ... | ... | ... | ... | ... |
| 27 | ... | ... | ... | ... | ... | ... |
| 28 | ... | ... | ... | ... | ... | ... |
| 29 | ... | ... | ... | ... | ... | ... |
| 30 | ... | ... | ... | ... | ... | ... |



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

GPS Map Camera

Anuppanadi, Tamil Nadu, India
5/84, Ganga Nagar, Mel, Anuppanadi,
Tamil Nadu 625009, India
Lat 9.886558°
Long 78.150712°
16/11/22 12:22 PM GMT +05:30

Google

The notebook pages contain handwritten text in Tamil and English. The left page has a header 'WORK RESTRICTIONS FOR NEW' and the right page has a header 'HIGHER COMMERCIAL SPACE'. The text is organized into columns and rows, likely representing a list or schedule of items.



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Staff Sickness Records 2019-2020

| Sl. No. | Name | Address | Phone No. | Work Restriction | Home Visit | Home Care | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact |
|---------|---------------|---------|-------------|------------------|------------|-----------|----------------|-----------------|----------------|-----------------|-----------------|--------------|----------------|--------------|----------------|-----------------|----------------|-----------------|-----------------|--------------|----------------|--------------|
| 1 | Mrs. Sankaraj | 630001 | 94421 11111 | Work Restriction | Home Visit | Home Care | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact |
| 2 | Mrs. Sankaraj | 630001 | 94421 11111 | Work Restriction | Home Visit | Home Care | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact |
| 3 | Mrs. Sankaraj | 630001 | 94421 11111 | Work Restriction | Home Visit | Home Care | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact |
| 4 | Mrs. Sankaraj | 630001 | 94421 11111 | Work Restriction | Home Visit | Home Care | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact |
| 5 | Mrs. Sankaraj | 630001 | 94421 11111 | Work Restriction | Home Visit | Home Care | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact |
| 6 | Mrs. Sankaraj | 630001 | 94421 11111 | Work Restriction | Home Visit | Home Care | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact |
| 7 | Mrs. Sankaraj | 630001 | 94421 11111 | Work Restriction | Home Visit | Home Care | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact |
| 8 | Mrs. Sankaraj | 630001 | 94421 11111 | Work Restriction | Home Visit | Home Care | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact | Home Isolation | Home Quarantine | Home Treatment | Home Medication | Home Monitoring | Home Support | Home Caregiver | Home Contact |

GPS Map Camera

Madurai, Tamil Nadu, India
4/716B, Babu Nagar, Sourashtra Teachers
Colony, Madurai, Tamil Nadu 625009, India
Lat 9.903996°
Long 78.14962°
07/03/23 02:04 PM GMT +05:30





VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Staff Sickness Records 2021-2022

| Sl. No. | Name of employee | Year | Month | Days | Particulars | Remarks |
|---------|------------------|------|-------|------|-------------|-------------------------------|
| 1 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 2 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 3 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 4 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 5 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 6 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 7 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 8 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 9 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 10 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 11 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 12 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 13 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 14 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 15 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 16 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 17 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 18 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 19 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |
| 20 | Ms. Sangeetha | 2021 | Jan | 24 | Cholera | Yes, hospitalized for 2 weeks |

GPS Map Camera



Madurai, Tamil Nadu, India
 4/716B, Babu Nagar, Sourastra Teachers
 Colony, Madurai, Tamil Nadu 625009, India
 Lat 9.903996°
 Long 78.14962°
 07/03/23 02:04 PM GMT +05:30




VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Staff Sickness Records 2022

| No. | Name of Employee | Year | Department | Contractible Sick | Non-Contractible Sick | Work Restrictions |
|-----|------------------|------|------------|-------------------|-----------------------|------------------------|
| 1 | Dr. M. S. Suresh | 2022 | ENT | 10 | 0 | Yes, awarded in 2022 |
| 2 | Dr. M. S. Suresh | 2022 | ENT | 10 | 0 | Yes, awarded for today |
| 3 | Dr. M. S. Suresh | 2022 | ENT | 10 | 0 | Yes, awarded for today |
| 4 | Dr. M. S. Suresh | 2022 | ENT | 10 | 0 | Yes, awarded for today |
| 5 | Dr. M. S. Suresh | 2022 | ENT | 10 | 0 | Yes, awarded for today |
| 6 | Dr. M. S. Suresh | 2022 | ENT | 10 | 0 | Yes, awarded for today |
| 7 | Dr. M. S. Suresh | 2022 | ENT | 10 | 0 | Yes, awarded for today |
| 8 | Dr. M. S. Suresh | 2022 | ENT | 10 | 0 | Yes, awarded for today |
| 9 | Dr. M. S. Suresh | 2022 | ENT | 10 | 0 | Yes, awarded for today |
| 10 | Dr. M. S. Suresh | 2022 | ENT | 10 | 0 | Yes, awarded for today |

GPS Map Camera
Madurai, Tamil Nadu, India
 4/716B, Babu Nagar, Sourastra Teachers Colony, Madurai, Tamil Nadu 625009, India
 Lat 9.903996°
 Long 78.14962°
 07/03/23 02:04 PM GMT +05:30





VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Staff Sickness Records 2023

| No | Name of Staff | From | To | Days | Remarks |
|----|----------------|-------|-------|------|---------|
| 19 | Parvathi | 23/11 | 24/11 | 2 | 1 week |
| 20 | Murugan | 25/11 | 26/11 | 2 | 1 week |
| 21 | Krishnamoorthy | 27/11 | 28/11 | 2 | 1 week |
| 22 | Ajitha | 29/11 | 30/11 | 2 | 1 week |
| 23 | Mangalambika | 01/12 | 02/12 | 2 | 1 week |
| 24 | Shyamala | 03/12 | 04/12 | 2 | 1 week |
| 25 | Madhavi | 05/12 | 06/12 | 2 | 1 week |
| 26 | Ruthamani | 07/12 | 08/12 | 2 | 1 week |
| 27 | Preethi | 09/12 | 10/12 | 2 | 1 week |
| 28 | Manikandan | 11/12 | 12/12 | 2 | 1 week |
| 29 | Shamshiravan | 13/12 | 14/12 | 2 | 1 week |
| 30 | Arundha | 15/12 | 16/12 | 2 | 1 week |

GPS Map Camera
Madurai, Tamil Nadu, India
4/716B, Babu Nagar, Sourastra Teachers Colony, Madurai, Tamil Nadu 625009, India
Lat 9.903996°
Long 78.14962°
07/03/23 02:05 PM GMT +05:30



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

Fumigation reports-ICUs and OTs

MOT 2018 REPORT

DEPARTMENT OF MICROBIOLOGY

NAME : MOT UHID : 201800039
OP NO : 201802281007 AGE/SEX : 5 Years/Male
LAB ID : 36042314
SAMPLE RECEIVED : 28/02/2018 11:45:26
REPORT AUTHORIZED : 28/02/2018 12:17:20

MOT – I – Method-Swab taken on 26.02.18

| Site | Growth/No growth 48hr | Remark |
|------------------|-----------------------|---------|
| Floor | No growth | Sterile |
| Light | No growth | Sterile |
| O.T table | No growth | Sterile |
| Boyles apparatus | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies | Remark |
|-----------|-----------------|---------|
| O.T Table | No growth | Sterile |

Report: No aerobic bacterial growth.

Advice : Regular washing and fumigation as per the guideline.

MOT – II – Method-Swab taken on 26.02.18

| Site | Growth/No growth 48hr | Remark |
|------------------|-----------------------|---------|
| Floor | No growth | Sterile |
| Light | No growth | Sterile |
| O.T table | No growth | Sterile |
| Boyles apparatus | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies | Remark |
|-----------|-----------------|---------|
| O.T Table | No growth | Sterile |

Report: No aerobic bacterial growth.

Advice : Regular washing and fumigation as per the guideline.

MOT – III – Method-Swab taken on 26.02.18

| Site | Growth/No growth 48hr | Remark |
|------------------|-----------------------|---------|
| Floor | No growth | Sterile |
| Light | No growth | Sterile |
| O.T table | No growth | Sterile |
| Boyles apparatus | No growth | Sterile |

Method-Settle plate (To check Air quality)



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

MOT 2020 Report

DEPARTMENT OF MICROBIOLOGY

NAME : MOT **UHID** : 201800039
OP NO : 202009071003 **AGE/SEX** : 5 Years/Male
LAB ID : 36092014
SAMPLE RECEIVED : 08/09/2020 08:00:37
REPORT AUTHORIZED : 08/09/2020 08:44:18

MOT - 6 Method-Swab taken on 03.09.2020 Report date on : 05.09.2020

| Site | Growth/No growth(48 hr) | Remark |
|------------------|--|---------------------------|
| Floor | 3 CFU (Aerobic spore forming bacilli, GNB & GPC) | Within permissible limits |
| O.T. Light | >25 CFU (Aerobic spore forming bacilli, GNB & GPC) | Above permissible limits |
| O.T. table | No growth | Sterile |
| Boyles apparatus | 3 CFU (Aerobic spore forming bacilli, GNB & GPC) | Within permissible limits |
| Medicine trolley | >25 CFU (Aerobic spore forming bacilli, GNB & GPC) | Above permissible limits |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|------------|------------------------|---------|
| O.T. Table | No growth | Sterile |

Report : Aerobic bacterial growth is Above permissible limits.

Advice : Do one more washing and fumigation as per the guideline.

MOT - 7 Method-Swab taken on 03.09.2020 Report date on : 05.09.2020

| Site | Growth/No growth(48 hr) | Remark |
|------------------|--|---------------------------|
| Floor | >20 CFU (Aerobic spore forming bacilli, GNB & GPC) | Above permissible limits |
| O.T. Light | 4 CFU (Aerobic spore forming bacilli, GNB & GPC) | Within permissible limits |
| O.T. table | 10 CFU (Aerobic spore forming bacilli, GNB & GPC) | Within permissible limits |
| Boyles apparatus | 10 CFU (Aerobic spore forming bacilli, GNB & GPC) | Within permissible limits |
| Medicine trolley | >20 CFU (Aerobic spore forming bacilli, GNB & GPC) | Above permissible limits |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|------------|------------------------|---------|
| O.T. Table | No growth | Sterile |

Report : Aerobic bacterial growth is Above permissible limits.

Advice : Do one more washing and fumigation as per the guideline.

**** END OF REPORT ****



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

MOT 2021 Report

DEPARTMENT OF MICROBIOLOGY

NAME : MOT **UHID** : 201800039
OP NO : 202103131028 **AGE/SEX** : 5 Years/Male
LAB ID : 36098755
SAMPLE RECEIVED : 17/03/2021 13:29:32
REPORT AUTHORIZED : 17/03/2021 14:46:59

MOT - 5 Method-Swab taken on 14.03.2021

| Site | Growth/No growth(48 hr) | Remark |
|------------------|-------------------------|---------|
| Floor | No growth | Sterile |
| O.T. Light | No growth | Sterile |
| O.T. Table | No growth | Sterile |
| Boyles apparatus | No growth | Sterile |
| Medicine trolley | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|-------|------------------------|---------------------------|
| Table | 2 CFU | within permissible limits |

Report : Aerobic bacterial growth is within permissible limits.
Advice : Regular washing and fumigation as per the guideline.

MOT - 6 Method-Swab taken on 14.03.2021

| Site | Growth/No growth(48 hr) | Remark |
|------------------|-------------------------|---------|
| Floor | No growth | Sterile |
| O.T. Light | No growth | Sterile |
| O.T. Table | No growth | Sterile |
| Boyles apparatus | No growth | Sterile |
| Medicine trolley | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|-------|------------------------|---------|
| Table | No growth | Sterile |

Report : No aerobic bacterial growth.
Advice : Regular washing and fumigation as per the guideline.

MOT - 7 Method-Swab taken on 14.03.2021

| Site | Growth/No growth(48 hr) | Remark |
|------------|-------------------------|---------|
| Floor | No growth | Sterile |
| O.T. Light | No growth | Sterile |



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

MOT 2022 Report

DEPARTMENT OF MICROBIOLOGY

NAME : MOT **UHID** : 201800039
OP NO : 202203191004 **AGE/SEX** : 5 Years/Male
LAB ID : 36113017
SAMPLE RECEIVED : 20/03/2022 05:53:20
REPORT AUTHORIZED : 22/03/2022 12:25:20

MOT - 6 Method-Swab taken on 20.03.2022

| Site | Growth/No growth(48 hr) | Remark |
|------------------|-------------------------|---------|
| Floor | No growth | Sterile |
| O.T. Table | No growth | Sterile |
| Light | No growth | Sterile |
| Boyles apparatus | No growth | Sterile |
| Medicine trolley | No growth | Sterile |
| A/C vent | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|------------|------------------------|---------|
| O.T. Table | No growth | Sterile |

Report : No aerobic bacterial growth.

Advice : Regular washing and fumigation as per the guideline.

MOT - 7 Method-Swab taken on 20.03.2022

| Site | Growth/No growth(48 hr) | Remark |
|------------------|-------------------------|---------|
| Floor | No growth | Sterile |
| O.T. Table | No growth | Sterile |
| Light | No growth | Sterile |
| Boyles apparatus | No growth | Sterile |
| Medicine trolley | No growth | Sterile |
| A/C vent | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|------------|------------------------|---------|
| O.T. Table | No growth | Sterile |

Report : No aerobic bacterial growth.

Advice : Regular washing and fumigation as per the guideline.

MOT - 8 Method-Swab taken on 20.03.2022

| Site | Growth/No growth(48 hr) | Remark |
|------|-------------------------|--------|
|------|-------------------------|--------|



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

MOT 2023 Report

DEPARTMENT OF MICROBIOLOGY

NAME : MOT **UHID** : 201800039
OP NO : 202302201014 **AGE/SEX** : 5 Years/Male
LAB ID : 36127328
SAMPLE RECEIVED : 21/02/2023 04:45:35
REPORT AUTHORIZED : 23/02/2023 12:01:49

MOT - 4 Method-Swab taken on 21.02.2023

| Site | Growth/No growth(48 hrs) | Remark |
|------------------|--------------------------|---------|
| Floor | No growth | Sterile |
| O.T. Table | No growth | Sterile |
| Light | No growth | Sterile |
| Boyles apparatus | No growth | Sterile |
| Trolley | No growth | Sterile |
| Wall | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hrs) | Remark |
|------------|-------------------------|---------|
| O.T. Table | No growth | Sterile |

Report : No aerobic bacterial growth.

Advice : Regular washing and fumigation as per the guideline.

MOT - 5 Method-Swab taken on 21.02.2023

| Site | Growth/No growth(48 hrs) | Remark |
|------------------|--------------------------|---------|
| Floor | No growth | Sterile |
| O.T. Table | No growth | Sterile |
| Light | No growth | Sterile |
| Boyles apparatus | No growth | Sterile |
| Trolley | No growth | Sterile |
| Wall | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hrs) | Remark |
|------------|-------------------------|---------|
| O.T. Table | No growth | Sterile |

Report : No aerobic bacterial growth.

Advice : Regular washing and fumigation as per the guideline.

MOT - 6 Method-Swab taken on 21.02.2023

| Site | Growth/No growth(48 hrs) | Remark |
|------|--------------------------|--------|
|------|--------------------------|--------|



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

RICU Report 2018

DEPARTMENT OF MICROBIOLOGY

NAME : RICU UHID : 201800251
OP NO : 201808031000 AGE/SEX : 44 Years/Male
LAB ID : 36051894
SAMPLE RECEIVED : 06/08/2018 12:36:19
REPORT AUTHORIZED : 06/08/2018 12:58:08

RICU Method-Swab taken on 04.08.18

| Site | Growth/No growth(48 hr) | Remark |
|------------------------|-------------------------|---------|
| Floor | No growth | Sterile |
| Cot | No growth | Sterile |
| Monitor | No growth | Sterile |
| Cardiac table | No growth | Sterile |
| Patient bedside locker | No growth | Sterile |
| Medicine trolley | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|------|---|--------------------------|
| Cot | 2 CFU (Coagulase negative Staphylococcus) | Within permissible limit |

Report : Aerobic bacterial growth is within permissible limit.

Advice : Regular washing and disinfection as per the guideline.

**** END OF REPORT ****

Dr. Jhansi Charles
Professor



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

RICU Report 2019

DEPARTMENT OF MICROBIOLOGY

NAME : RICU UHID : 201800251
OP NO : 201903011010 AGE/SEX : 44 Years/Male
LAB ID : 36066363
SAMPLE RECEIVED : 04/03/2019 14:18:52
REPORT AUTHORIZED : 04/03/2019 15:29:21

IMCU Method-Swab taken on 02.03.19

| Site | Growth/No growth(48 hr) | Remark |
|------------------|-------------------------|---------|
| Floor | No growth | Sterile |
| Cot | No growth | Sterile |
| Monitor | No growth | Sterile |
| Bed side locker | No growth | Sterile |
| Food Trolley | No growth | Sterile |
| Nurses station | No growth | Sterile |
| Medicine trolley | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|------|---|--------------------------|
| Cot | 2 CFU (Coagulase negative Staphylococcus) | Within permissible limit |

Report : Aerobic bacterial growth is within permissible limit.

Advice : Regular washing and fumigation as per the guideline.

RICU Method-Swab taken on 02.03.19

| Site | Growth/No growth(48 hr) | Remark |
|-----------------|---------------------------------------|--------------------------|
| Floor | 5 CFU (Aerobic spore forming bacilli) | Within permissible limit |
| Cot | No growth | Sterile |
| Monitor | No growth | Sterile |
| Bed side locker | No growth | Sterile |
| Food Trolley | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|------|---|--------------------------|
| Cot | 4 CFU (Coagulase negative Staphylococcus) | Within permissible limit |

Report : Aerobic bacterial growth is within permissible limit.

Advice : Regular washing and fumigation as per the guideline.



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

RICU Report 2020

DEPARTMENT OF MICROBIOLOGY

NAME : RICU UHID : 201800251
OP NO : 202002201010 AGE/SEX : 44 Years/Male
LAB ID : 36087182
SAMPLE RECEIVED : 22/02/2020 11:22:34
REPORT AUTHORIZED : 23/02/2020 12:45:58

MICU Method-Swab taken on 21.02.2020

| Site | Growth/No growth(48 hr) | Remark |
|------------------------|-------------------------|---------|
| Floor | No growth | Sterile |
| Cot | No growth | Sterile |
| Monitor tray | No growth | Sterile |
| I.V. Stand | No growth | Sterile |
| Patient Bedside locker | No growth | Sterile |
| X-ray Labby | No growth | Sterile |
| Nursing station | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|------|------------------------|---------|
| Cot | No growth | Sterile |

Report : No aerobic bacterial growth.

Advice : Regular washing and disinfection as per the guideline.

RICU Method-Swab taken on 21.02.2020

| Site | Growth/No growth(48 hr) | Remark |
|------------------------|-------------------------|---------|
| Floor | No growth | Sterile |
| Cot | No growth | Sterile |
| Monitor | No growth | Sterile |
| Patient Bedside locker | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|------|------------------------|---------|
| Cot | No growth | Sterile |

Report : No aerobic bacterial growth.

Advice : Regular washing and disinfection as per the guideline.

**** END OF REPORT ****



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

RICU Report 2021

DEPARTMENT OF MICROBIOLOGY

NAME : RICU UHID : 201800251
OP NO : 202107191008 AGE/SEX : 44 Years/Male
LAB ID : 36102561
SAMPLE RECEIVED : 20/07/2021 13:39:30
REPORT AUTHORIZED : 22/07/2021 12:49:59

RICU (Ground floor) Method-Swab taken on 20.07.2021

| Site | Growth/No growth(48 hr) | Remark |
|------------------|-------------------------|--------------------------|
| Monitor | No growth | Sterile |
| Cardiac table | Heavy growth | Above permissible limits |
| O2 line | No growth | Sterile |
| Dressing Trolley | Heavy growth | Above permissible limits |
| Defibrillator | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|------|------------------------|---------------------------|
| Cot | 10 CFU | within permissible limits |

Report : Aerobic bacterial growth is Above permissible limits.

Advice : Do one more washing and disinfection as per the guideline.

**** END OF REPORT ****

Dr. T. Rajendran
Professor



VELAMMAL MEDICAL COLLEGE
HOSPITAL AND RESEARCH INSTITUTE
MADURAI - 625009

RICU Report 2022

DEPARTMENT OF MICROBIOLOGY

NAME : RICU UHID : 201800251
OP NO : 202211261003 AGE/SEX : 44 Years/Male
LAB ID : 36123202
SAMPLE RECEIVED : 26/11/2022 22:29:49
REPORT AUTHORIZED : 29/11/2022 12:36:59

RICU Method-Swab taken on 26.11.2022 at 10 P.M.

| Site | Growth/No growth(48 hr) | Remark |
|----------------|-------------------------|---------|
| Floor | No growth | Sterile |
| Cot | No growth | Sterile |
| Bedside locker | No growth | Sterile |
| Cardiac table | No growth | Sterile |
| Wall | No growth | Sterile |

Method-Settle plate (To check Air quality)

| Site | No. of colonies(48 hr) | Remark |
|------|------------------------|---------|
| Cot | No growth | Sterile |

Report : No aerobic bacterial growth.

Advice : Regular washing and disinfection as per the guideline.

*** END OF REPORT ***

Dr. G. Vithiya
Associate Professor



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Staff Hepatitis B vaccination 2018

GPS Map Camera

Madurai, Tamil Nadu, India
4/716B, Babu Nagar, Sourastra Teachers Colony,
Madurai, Tamil Nadu 625009, India
Lat 9.903996°
Long 78.14962°
07/03/23 03:07 PM GMT +05:30



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Staff Hepatitis B vaccination 2019

| Sl. No. | Dept. | VR No. | Staff Name | Dose | Signature |
|---------|----------|---------|-----------------------|----------------------|-------------|
| 31 | Pharmacy | 7155 | Sankaranarayanan | 1 st | [Signature] |
| 32 | Pharmacy | 7156 | Patchayammal | 1 st | [Signature] |
| 33 | Pharmacy | 7157 | Kanagasabai | 1 st | [Signature] |
| 34 | Pharmacy | 7158 | Rabi Jaisika | 1 st | [Signature] |
| 35 | Pharmacy | 7159 | Kalaiyandi | 1 st | [Signature] |
| 36 | Pharmacy | 7160 | Aathiyandi | 1 st | [Signature] |
| 37 | Pharmacy | 7161 | Sivanmuthu | 1 st | [Signature] |
| 38 | Pharmacy | 7162 | Shanmugasundaram | 1 st | [Signature] |
| 39 | Pharmacy | 7163 | Jaya Shanthi | 1 st | [Signature] |
| 40 | Pharmacy | 7164 | Taruni Selvi | 1 st | [Signature] |
| 41 | Pharmacy | 7165 | Kanaka Anandam | 1 st | [Signature] |
| 42 | Pharmacy | 7166 | Kanaka | 1 st | [Signature] |
| 43 | Pharmacy | 7167 | Pragasam | 1 st | [Signature] |
| 44 | Pharmacy | 7168 | Shanthi | 1 st | [Signature] |
| 45 | Pharmacy | 7169 | Shirani | 1 st | [Signature] |
| 46 | Pharmacy | 7170 | Prema | 1 st | [Signature] |
| 47 | Pharmacy | 7171 | Poornima | 1 st | [Signature] |
| 48 | Pharmacy | 7172 | Suganthini | 1 st | [Signature] |
| 49 | Pharmacy | 7173 | Subbalakshmi | 1 st | [Signature] |
| Dorlin | | | | | |
| 1. | Pharmacy | 925 | MR. ANANTHARAMAN | 1 st dose | [Signature] |
| 2. | Pharmacy | 7135 | SUNDU SENITHI | 1 st dose | [Signature] |
| 3. | Pharmacy | 7115 | GURUJI | 1 st dose | [Signature] |
| Dorlin | | | | | |
| 1. | Pharmacy | 9172 | MS. Manimala | 1 st dose | [Signature] |
| Dorlin | | | | | |
| 1. | Pharmacy | VR 6894 | Ms. V. Prasadilakshmi | 2 nd dose | [Signature] |



Google


GPS Map Camera

Madurai, Tamil Nadu, India
4/716B, Babu Nagar, Sourastra Teachers
Colony, Madurai, Tamil Nadu 625009, India
Lat 9.903996°
Long 78.14962°
07/03/23 03:07 PM GMT +05:30




VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Staff Hepatitis B vaccination 2020




Staff Hepatitis B vaccination 2021





VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Staff Hepatitis B vaccination 2022





VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

CSSD Records

2020

Autoclave Internal and External Chemical Indicator






VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

2021

Autoclave Internal and External Chemical Indicator




Biological Indicator For Autoclave “A” Machine







VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Biological Indicator For Autoclave "B" Machine

| Result | - |
|---|---|
| Start Time | 2021-01-31 12:59:20 |
| Well# | # 2 |
| Serial Number | 121717 |
| BI Type | STEAM |
| Control? | NO |
| BI Lot# | 334HES |
| Sterilizer# | B.MACHINE |
| Load# | 01 |
| Implant? | - |
| Technician | A.KARUPPASAMY |
| Sterilizer Model | PERICLAVE |
| Cycle Type/Cycle Parameters | 121 |
| Chemical Integrator?/Indicator? | |
|  | Result : As biological indicator placed in Steam showed Negative result. It is evident that BI Result showing appropriate sterilization |
| Notes | |

3M

 **GPS Map Camera**

 **Google**

Madurai, Tamil Nadu, India
4/716B, Babu Nagar, Sourastra Teachers Colony, Madurai, Tamil Nadu 625009, India
Lat 9.903996°
Long 78.14962°
08/03/23 11:28 AM GMT +05:30




VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009


Biological Indicator For 'ETO' Machine


1230021 3M™ Attest™ Auto-reader 390G Web App for Auto-reader

3M™ Attest™ Auto-reader 390G Results Detail

| | |
|--------------------------|---|
| Result | - |
| Start Time | 2021-01-23 05:20:09 |
| Well# and Configuration | # 1 1294 |
| 390G Serial Number | 403871 |
| Control? | NO |
| BI Lot# | 3346HP |
| Load# | 01 |
| Sterilizer # | ETO |
| Technician | A.KARUPPASAMY |
| Sterilization Parameters | 55 |
| Aeration Parameters | |
| Implant? | |
| Notes |  Result : As biological indicator placed in ETO showed Negative result. It is evident that BI Result showing appropriate sterilization |

3M

 **GPS Map Camera**


Google

Madurai, Tamil Nadu, India
4/716B, Babu Nagar, Sourastra Teachers Colony, Madurai, Tamil Nadu 625009, India
Lat 9.903996°
Long 78.14962°
08/03/23 11:29 AM GMT +05:30



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009


Physical Indicator For Autoclave "A" Machine

A-load-01
01/3/21

| | | | |
|----------|--------|-------|---------------|
| 06:02:30 | -0.027 | 30.9 | |
| 06:03:05 | -0.602 | 41.6 | Prevacuum |
| 06:03:07 | -0.569 | 42.1 | Prevacuum |
| 06:05:07 | 0.501 | 96.3 | Preheat |
| 06:05:09 | 0.444 | 96.5 | Preheat |
| 06:06:05 | -0.601 | 67.9 | Prevacuum |
| 06:06:07 | -0.542 | 67.7 | Prevacuum |
| 06:08:56 | -0.500 | 105.1 | Preheat |
| 06:08:38 | 0.471 | 105.2 | Preheat |
| 06:09:50 | -0.602 | 68.3 | Prevacuum |
| 06:09:52 | -0.553 | 68.2 | Prevacuum |
| 06:11:45 | 0.503 | 106.4 | Preheat |
| 06:11:47 | 0.501 | 106.5 | Preheat |
| 06:17:26 | 1.231 | 118.6 | Heating |
| 06:22:52 | 1.356 | 121.1 | Heating |
| 06:22:34 | 1.354 | 121.1 | Heating |
| 06:28:13 | 1.358 | 121.3 | Sterilization |
| 06:33:53 | 1.359 | 121.4 | Sterilization |
| 06:39:33 | 1.353 | 121.5 | Sterilization |
| 06:45:13 | 1.351 | 121.5 | Sterilization |
| 06:47:33 | 1.361 | 121.5 | Sterilization |
| 06:47:35 | 1.321 | 121.4 | Sterilization |
| 06:50:28 | -0.606 | 71.5 | Fast Exhaust |
| 06:50:27 | -0.619 | 71.7 | Fast Exhaust |
| 06:56:06 | -0.822 | 89.8 | Drying |
| 07:01:46 | -0.820 | 89.8 | Drying |
| 07:07:26 | -0.818 | 86.2 | Drying |
| 07:13:06 | -0.822 | 87.1 | Drying |
| 07:18:46 | -0.822 | 86.9 | Drying |
| 07:20:26 | -0.820 | 89.4 | Drying |
| 07:20:28 | -0.803 | 89.4 | Drying |
| 07:23:26 | -0.099 | 78.7 | Vacuum Break |
| 07:23:28 | -0.099 | 78.6 | Vacuum Break |

Total FO Summary :- For T1 Sensor
33.606

-----Process Over-----
Remark :- Cycle Acceptable / Cycle Unacceptable
Sign :-



GPS Map Camera

Madurai, Tamil Nadu, India
4/716B, Babu Nagar, Sourastra Teachers
Colony, Madurai, Tamil Nadu 625009, India
Lat 9.903996°
Long 78.14962°
08/03/23 11:31 AM GMT +05:30




VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009


Physical Indicator For Autoclave "B" Machine

| | | | |
|----------|--------|-------|---------------|
| 00:02:12 | -0.008 | 33.0 | |
| 00:03:12 | -0.602 | 36.3 | Prevacuum |
| 00:03:14 | -0.573 | 41.2 | Prevacuum |
| 00:05:52 | 0.502 | 101.8 | Presteam |
| 00:05:54 | 0.462 | 102.0 | Presteam |
| 00:07:21 | -0.603 | 65.4 | Prevacuum |
| 00:07:23 | -0.570 | 70.6 | Prevacuum |
| 00:09:30 | 0.501 | 107.9 | Presteam |
| 00:09:32 | 0.489 | 108.0 | Presteam |
| 00:11:30 | -0.601 | 67.5 | Prevacuum |
| 00:11:32 | -0.581 | 73.0 | Prevacuum |
| 00:13:17 | 0.502 | 107.9 | Presteam |
| 00:13:18 | 0.507 | 108.0 | Presteam |
| 00:18:08 | 1.284 | 121.3 | Heating |
| 00:19:48 | 1.300 | 121.4 | Heating |
| 00:19:50 | 1.304 | 121.5 | Heating |
| 00:25:29 | 1.332 | 121.9 | Sterilization |
| 00:31:09 | 1.354 | 121.7 | Sterilization |
| 00:36:49 | 1.354 | 121.8 | Sterilization |
| 00:42:29 | 1.353 | 121.9 | Sterilization |
| 00:44:49 | 1.352 | 121.9 | Sterilization |
| 00:44:50 | 1.333 | 121.9 | Sterilization |
| 00:49:13 | -0.604 | 86.8 | Fast Exhaust |
| 00:49:15 | -0.610 | 86.9 | Fast Exhaust |
| 00:54:54 | -0.885 | 82.2 | Drying |
| 01:00:34 | -0.890 | 77.5 | Drying |
| 01:06:14 | -0.892 | 74.1 | Drying |
| 01:11:54 | -0.892 | 71.7 | Drying |
| 01:17:34 | -0.891 | 70.0 | Drying |
| 01:19:14 | -0.890 | 69.7 | Drying |
| 01:19:15 | -0.888 | 69.7 | Drying |
| 01:22:19 | -0.097 | 47.6 | Vacuum Break |
| 01:22:21 | -0.095 | 47.4 | Vacuum Break |

Total FO Summary :- For T1 Sensor
33.732

-----Process Over-----
Remark :- Cycle Acceptable / Cycle Unacceptable
Sign :-

 **GPS Map Camera**



Google

Madurai, Tamil Nadu, India
4/716B, Babu Nagar, Sourastra Teachers
Colony, Madurai, Tamil Nadu 625009, India
Lat 9.903996°
Long 78.14962°
08/03/23 11:30 AM GMT +05:30



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Physical Indicator For "Sterrad" Machine

GPS Map Camera

Madurai, Tamil Nadu, India
4/716B, Babu Nagar, Sourashtra Teachers Colony,
Madurai, Tamil Nadu 625009, India
Lat 9.903996°
Long 78.14962°
08/03/23 11:33 AM GMT +05:30

Machine Size
Load 0 kg
Date: 30-03-23
Total: 0 kg

Articles - 01
d Articles
Weight: 100g
Articles Accepted / Un Accepted





VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009


Biological Indicator for "Autoclave A" Machine

1/3/2022

3M™ Attest™ Auto-reader Results Detail

| | |
|---|---|
| Result | - |
| Start Time | 2022-01-01 18:35:36 |
| Well# | # 1 |
| Serial Number | 121717 |
| BI Type | STEAM |
| Control? | NO |
| BI Lot# | 33H7FE |
| Sterilizer# | A.MACHINE |
| Load# | 01 |
| Implant? | - |
| Technician | A.KARUPPASAMY |
| Sterilizer Model | PERICLAVE |
| Cycle Type/Cycle Parameters | 121 |
| Chemical Integrator?/Indicator? | |
|  | Result : As biological indicator placed in Steam showed Negative result. It is evident that BI Result showing appropriate sterilization |
| Notes | |

 **GPS Map Camera**


Google


CSSD Department, Madurai 625009 ,Tamil Nadu, India
velammal medical College hospital and
research institution
Lat 9.889186°
Long 78.149852°
08/03/23 12:33 PM GMT +05:30




VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009


Biological Indicator for "Autoclave B" Machine

100202 3M™ Attest™ Auto-reader Web App for Auto-reader
3M™ Attest™ Auto-reader Results Detail

| | |
|---|--|
| Result | — |
| Start Time | 2022-01-01 06:32:33 |
| Well# | # 2 |
| Serial Number | 121717 |
| BI Type | STEAM |
| Control? | NO |
| BI Lot# | 33H7FE |
| Sterilizer# | B.MACHINE |
| Load# | 01 |
| Implant? | — |
| Technician | A.KARUPPASAMY |
| Sterilizer Model | PERICLAVE |
| Cycle Type/Cycle Parameters | 121 |
| Chemical Integrator?/Indicator? | |
|  | Result : As biological indicator placed in Steam showed Negative result. It is evident that BI Result showing appropriate sterilization. |
| Notes | |

3M

 **GPS Map Camera**

 **Google**


CSSD Department, Madurai 625009 ,Tamil Nadu, India
velammal medical College hospital and
research institution
Lat 9.889186°
Long 78.149852°
08/03/23 12:32 PM GMT +05:30




VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009


Biological Indicator for "Autoclave C" Machine

3M™ Attest™ Auto-reader Results Detail

| | |
|---|---|
| Result | - |
| Start Time | 2022-02-07 18:22:57 |
| Well# | #3 |
| Serial Number | 121717 |
| BI Type | STEAM |
| Control? | NO |
| BI Lot# | 33H7FE |
| Sterilizer# | C.MACHINE |
| Load# | 01 |
| Implant? | - |
| Technician | A.KARUPPASAMY |
| Sterilizer Model | PERICLAVE |
| Cycle Type/Cycle Parameters | 121 |
| Chemical Integrator?/Indicator? | |
|  Notes | Result : As biological indicator placed in Steam showed Negative result. It is evident that BI Result showing appropriate sterilization |

3M

 **GPS Map Camera**


Google

CSSD Department, Madurai 625009 ,Tamil Nadu, India
velammal medical College hospital and
research institution
Lat 9.889186°
Long 78.149852°
08/03/23 12:38 PM GMT +05:30



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Biological Indicator For "ETO" Machine

3M™ Attest™ Auto-reader: 390G Results Detail

| | |
|--------------------------|---|
| Result | — |
| Start Time | 2022-01-01 06:22:02 |
| Well# and Configuration | #1 1294 |
| 390G Serial Number | 403871 |
| Control? | NO |
| BI Lot# | 330KA3 |
| Load# | 01 |
| Sterilizer # | ETO |
| Technician | A.KARUPPASAMY |
| Sterilization Parameters | 56 |
| Aeration Parameters | |
| Implant? | |
| Notes | Result : As biological indicator placed in ETO showed Negative result. It is evident that BI Result showing appropriate sterilization |

3M

 **GPS Map Camera**



CSSD Department, Madurai 625009 ,Tamil Nadu, India

velammal medical College hospital and
research institution

Lat 9.889186°

Long 78.149852°


08/03/23 12:30 PM GMT +05:30




VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009


Biological Indicator for "Sterrad" Machine

3M™ Altest™ Auto-reader Results Detail

| | |
|---|---|
| Result | — |
| Start Time | 2022-01-01 06:32:46 |
| Well# | #6 |
| Serial Number | 121717 |
| BI Type | H2O2 |
| Control? | NO |
| BI Lot# | 13F4XJ |
| Sterilizer # | STERRAD |
| Load# | 01 |
| Implant? | — |
| Technician | A.KARUPPASAMY |
| Sterilizer Model | STERRAD |
| Cycle Type/Cycle Parameters | STANDARD |
| Chemical Integrator?/Indicator? | |
|  | Result : As biological indicator placed in Plasma showed Negative result. It is evident that BI Result showing appropriate sterilization. |
| Notes | |

3M

 **GPS Map Camera**


Google

CSSD Department, Madurai 625009 ,Tamil Nadu, India
velammal medical College hospital and
research institution
Lat 9.889186°
Long 78.149852°
08/03/23 12:29 PM GMT +05:30



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Physical Indicator for "Autoclave B" Machine

DEPAKIM...
 Model No: 0004454/001/001
 Manufacturing Year: April 2012
 Date: 24 / 3 / 2023
 Serial No: 1
 Cycle No: 160
 Cycle Interval: 1774

Program Name: 352, Sterilization Program
 Pre-Heat: 1-0.000 bar, Pre-Heat: 10.000 bar, Pre-Heat: 2
 Ster. Temp: 121.0 deg.C, Ster. Wet. Pres: 1.000bar, Ster. Time: 20.0min
 Cooling Time: 20min, Pre. End.Prs: 0.2 bar

| Time | Pressure | Temperature | Phase |
|----------|----------|-------------|---------------|
| hh:mm:ss | bar | deg.C | DETAIL |
| 11:07:47 | -0.001 | 38.2 | Pre-Heat |
| 11:07:48 | -0.001 | 38.2 | Pre-Heat |
| 11:08:03 | -0.017 | 42.2 | Pre-Heat |
| 11:08:21 | -0.006 | 45.3 | Pre-Heat |
| 11:08:30 | -0.001 | 50.9 | Pre-Heat |
| 11:08:39 | -0.004 | 104.8 | Pre-Heat |
| 11:08:40 | -0.004 | 78.2 | Pre-Heat |
| 11:08:49 | -0.004 | 105.0 | Heating |
| 11:08:57 | -0.004 | 117.1 | Heating |
| 11:09:05 | -0.004 | 120.5 | Heating |
| 11:09:14 | -0.004 | 121.7 | Stabilization |
| 11:09:23 | -0.004 | 121.2 | Stabilization |
| 11:09:32 | -0.004 | 122.4 | Stabilization |
| 11:09:41 | -0.004 | 120.8 | Stabilization |
| 11:09:50 | -0.004 | 121.9 | Stabilization |
| 11:09:59 | -0.004 | 122.0 | Stabilization |
| 12:00:08 | -0.004 | 122.4 | Stabilization |
| 12:00:17 | -0.004 | 122.2 | Stabilization |
| 12:00:26 | -0.004 | 123.4 | Post-Heating |
| 12:00:35 | -0.004 | 106.5 | Drying |
| 12:00:44 | -0.004 | 82.0 | Drying |
| 12:00:53 | -0.004 | 82.3 | Drying |
| 12:01:02 | -0.004 | 80.1 | Drying |
| 12:01:11 | -0.004 | 77.8 | Drying |
| 12:01:20 | -0.004 | 75.7 | Drying |
| 12:01:29 | -0.004 | 73.2 | Drying |
| 12:01:38 | -0.004 | 70.7 | Drying |
| 12:01:47 | -0.004 | 70.2 | Drying |
| 12:01:56 | -0.004 | 69.5 | Vacuum Break |
| 12:02:05 | -0.004 | 61.1 | Vacuum Break |
| 12:02:14 | -0.004 | | |

Total No. Cycles: 30, Valid
 Cycle Acceptable / Cycle Unacceptable
 Sign: _____

GPS Map Camera



CSSD Department, Madurai 625009 ,Tamil Nadu, India
 velammal medical College hospital and
 research institution
 Lat 9.889186°
 Long 78.149852°
 08/03/23 12:59 PM GMT +05:30



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

2023

Internal And External Chemical Indicator for "Autoclave" Machine

| S.No. | Date | Batch No. | Wet-So | | | In-air | Out-air | In-air Indicator | Internal Indicator | Outside Indicator | Remarks |
|-------|--------|-----------|--------|---|---|----------|---------|------------------|--------------------|-------------------|---------|
| | | | A | B | C | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 01 | 2/1/23 | 01 | ✓ | ✓ | ✓ | 20:30 | 21:30 | | | | |
| 02 | 2/1/23 | 01 | ✓ | ✓ | ✓ | 20:30 | 21:30 | | | | |
| 03 | 2/1/23 | 02 | ✓ | ✓ | ✓ | 20:30 | 21:30 | | | | |
| 04 | | 02 | ✓ | ✓ | ✓ | 19:50 pm | 20:30 | | | | |
| 05 | | 03 | ✓ | ✓ | ✓ | 19:50 pm | 20:30 | | | | |
| 06 | | 02 | ✓ | ✓ | ✓ | 20:30 | 21:30 | | | | |

GPS Map Camera

CSSD Department, Madurai 625009, Tamil Nadu, India
velammal medical College hospital and research institution
Lat 9.889186°
Long 78.149852°
08/03/23 01:03 PM GMT +05:30

Google



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Physical Indicator for "Autoclave A" Machine

PHYSICAL INDICATOR

Manufacturer Name : PERICLAVE
Address : 65A, Kandiaveli SD-OP Ind. Estate, Chennai, Andhra Pradesh, Madurai-67
Tel : 922-2867228/40 ; info@periclave.com, www.periclave.com

User Name : Velammal Medical College Hospital
Address: Velammal Village , Madurai - Tulicoris Ring Road,
Near Christowani Tolgate, Anappanadi , Madurai - 625 009 , India


Equipment : Horizontal Rectangular PPM Steam Sterilizer
Model No. : P810R/20/VS4000
Manufacturing Year : April 2012
Date : 23 / 3 / 2023 Time : 1 : 13 : 41
Selected Cycle No. : 2
Batch No. : 2
Print Interval : 100 sec
Cumulative Cycle No. : 1014

Process Parameters : NP-49 Program
Program Name : Std. Sterilization Program
Pre-Proc. Pres : 0.400 bar ; Pre-Proc. Pres : 0.300 bar ; Pre-Pulsed : 1
Ster. Temp. : 121.0 deg.C ; Ster. Max. Pres : 1.300bar ; Ster. Time : 20.0min
Drying Time : 0min ; Pres. End. Pres : 0.1 bar


| TIME | Pressure | Temperature | PMSE |
|---------|----------|-------------|---------------|
| MM:SS | BAR | deg.C | DETAIL |
| 1:13:43 | -0.025 | 33.3 | Pre-Proc |
| 1:13:49 | -0.024 | 36.2 | Pre-Proc |
| 1:14:19 | -0.021 | 47.3 | Pre-Proc |
| 1:15:24 | 0.303 | 74.7 | Pre-Proc |
| 1:16:17 | -0.051 | 72.8 | Pre-Proc |
| 1:18:26 | 0.201 | 103.5 | Pre-Proc |
| 1:19:55 | -0.052 | 74.3 | Pre-Proc |
| 1:22:22 | 0.302 | 104.0 | Heating |
| 1:25:23 | 0.429 | 119.7 | Heating |
| 1:28:23 | 0.475 | 116.7 | Heating |
| 1:31:23 | 1.238 | 120.7 | Heating |
| 1:32:04 | 1.298 | 121.8 | Sterilization |
| 1:32:58 | 1.287 | 121.7 | Sterilization |
| 1:33:53 | 1.293 | 121.7 | Sterilization |
| 1:34:53 | 1.289 | 121.7 | Sterilization |
| 1:35:53 | 1.333 | 121.7 | Sterilization |
| 1:36:53 | 1.330 | 121.9 | Sterilization |
| 1:38:53 | 1.331 | 121.7 | Sterilization |
| 1:39:53 | 1.304 | 121.8 | Fast Exhaust |
| 1:39:21 | 0.299 | 104.4 | Drying |
| 1:39:21 | -0.796 | 81.8 | Drying |
| 4: 2:21 | -0.716 | 79.0 | Drying |
| 4: 3:21 | -0.940 | 76.3 | Drying |
| 4: 8:21 | -0.945 | 75.6 | Drying |
| 4:11:21 | -0.948 | 71.8 | Drying |
| 4:14:21 | -0.952 | 70.7 | Drying |
| 4:17:21 | -0.953 | 69.4 | Drying |
| 4:18:49 | -0.951 | 68.9 | Vacuum Break |
| 4:21:49 | -0.373 | 56.6 | Vacuum Break |

Total PD Values : 30.013

Remark : 1- Cycle Acceptable / Cycle Unacceptable
Sign : -

 **GPS Map Camera**

CSSD Department, Madurai 625009 ,Tamil Nadu, India
velammal medical College hospital and
research institution
Lat 9.889186°
Long 78.149852°
08/03/23 01:14 PM GMT +05:30


Google



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Physical Indicator for "Autoclave B" Machine

AM
No. of
Syringes
CSDD
Syr.

PERICLAVE
Manufacturer Name : PERICLAVE
Address : 82A, Kandivalli CO-OP Ind. Estate, Charkop, Kandivalli(W.), Mumbai-47
Tel - 022-28673130/40 ; info@periclave.com, www.periclave.com
User Name : Velammal Medical College Hospital
Address: Velammal Village, Madurai - Tullucottu Ring Road,
Near Chiniamani Taligara, Anuppanadi, Madurai - 625 009, India
Equipment : Horizontal Rectangular H2O2 Steam Sterilizer
Model No. : PH10K/DO/V/AA400
Manufacturing Year : April 2012
Date :- 2 / 3 / 2023 Time :- 01:23:57
Rated Cycle No. : 3
Batch No. : 3
Print Interval : 180 sec
Cumulative Cycle No. : 2844

Process Parameters : HP-DV Program
Program Name : STD. Sterilization Program
Pre-Vac. Pres : 0.800 bar | Pre-Rim. Pres : 0.300 bar | Pre-Pulse : 3
Ster. Temp. : 121.0 deg.C | Ster. Max. Pres : 1.300bar | Ster. Time : 20.0min
Drying Time : 23min | Pro. End. Pres : 0.1 bar

| TIME | Pressure BAR | Temperature deg.C | PHASE DETAIL |
|---------|-----------------|----------------------|-----------------|
| 0:23:33 | 0.019 | 36.0 | Prevacuum |
| 0:23:34 | -0.011 | 37.2 | Prevacuum |
| 0:24:33 | -0.621 | 52.7 | Prevacuum |
| 0:25:38 | 0.309 | 88.3 | Prevacuum |
| 0:26:51 | -0.603 | 73.7 | Prevacuum |
| 0:28:38 | 0.304 | 104.7 | Prevacuum |
| 0:29:45 | -0.610 | 73.9 | Prevacuum |
| 0:31:12 | 0.309 | 104.0 | Prevacuum |
| 0:34:13 | 0.789 | 115.2 | Heating |
| 0:37:14 | 1.224 | 122.3 | Heating |
| 0:37:34 | 1.213 | 122.0 | Sterilization |
| 0:40:34 | 1.198 | 121.6 | Sterilization |
| 0:42:34 | 1.182 | 122.0 | Sterilization |
| 0:44:35 | 1.205 | 122.0 | Sterilization |
| 0:49:35 | 1.211 | 122.0 | Sterilization |
| 0:52:35 | 1.238 | 122.4 | Sterilization |
| 0:55:35 | 1.246 | 122.3 | Sterilization |
| 0:58:35 | 1.261 | 122.5 | Sterilization |
| 7: 1: 3 | 0.299 | 106.6 | Fast Exhaust |
| 7: 4: 3 | -0.850 | 82.7 | Drying |
| 7: 7: 3 | -0.914 | 71.8 | Drying |
| 7:10: 3 | -0.915 | 67.9 | Drying |
| 7:13: 3 | -0.913 | 64.8 | Drying |
| 7:16: 3 | -0.917 | 64.2 | Drying |
| 7:19: 3 | -0.913 | 62.5 | Drying |
| 7:22: 3 | -0.916 | 61.9 | Drying |
| 7:25: 3 | -0.916 | 61.1 | Drying |
| 7:28: 3 | -0.915 | 60.4 | Drying |
| 7:28:35 | -0.916 | 61.0 | Drying |
| 7:31:25 | -0.246 | 47.1 | Vacuum Break |

Total PD Value: 32.014

Remark :- Cycle Acceptable / Cycle Unacceptable
Sign :-

GPS Map Camera

CSSD Department, Madurai 625009, Tamil Nadu, India
 velammal medical College hospital and
 research institution
 Lat 9.889186°
 Long 78.149852°
 08/03/23 01:16 PM GMT +05:30

56





VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Biological Indicator For "Autoclave A" Machine

3M™ Attest™ Auto-reader Results Detail

| | |
|---------------------------------|---|
| Result | — |
| Start Time | 2023-01-16 15:28:37 |
| Well# | #1 |
| Serial Number | 121717 |
| BI Type | STEAM |
| Control? | NO |
| BI Lot# | 33KY4C |
| Sterilizer# | A.MACHINE |
| Load# | 02 |
| Implant? | — |
| Technician | A.KARUPPASAMY |
| Sterilizer Model | PERICLAVE |
| Cycle Type/Cycle Parameters | 121 |
| Chemical Integrator?/Indicator? | |
| Notes | Result : As biological indicator placed in Steam showed Negative result. It is evident that BI Result showing appropriate sterilization |

 **GPS Map Camera**

 **Google**

CSSD Department, Madurai 625009 ,Tamil Nadu, India
velammal medical College hospital and
research institution
Lat 9.889186°
Long 78.149852°
08/03/23 04:15 PM GMT +05:30





VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Biological Indicator for "Autoclave B" Machine

3M™ Attest™ Auto-reader Web App for Auto-reader
3M™ Attest™ Auto-reader Results Detail

| | |
|---------------------------------|---|
| Result | — |
| Start Time | 2023-01-16 17:28:02 |
| Well# | # 2 |
| Serial Number | 121717 |
| BI Type | STEAM |
| Control? | NO |
| BI Lot# | 33KY4C |
| Sterilizer # | B.MACHINE |
| Load# | 02 |
| Implent? | — |
| Technician | A.KARUPPASAMY |
| Sterilizer Model | PERICLAVE |
| Cycle Type/Cycle Parameters | 121 |
| Chemical Integrator?/Indicator? | |
| Notes | Result : As biological indicator placed in Steam showed Negative result. It is evident that BI Result showing appropriate sterilization |

 **GPS Map Camera**



CSSD Department, Madurai 625009 ,Tamil Nadu, India
velammal medical College hospital and
research institution
Lat 9.889186°
Long 78.149852°
08/03/23 04:16 PM GMT +05:30

1/1



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Biological Indicator For "ETO" Machine


3M™ Attest™ Auto-reader 390G Web App for Auto-reader 390G

1/18/2023

3M™ Attest™ Auto-reader 390G Results Detail

| | |
|--------------------------|---|
| Result | |
| Start Time | 2023-01-09 06:12:45 |
| Well# and Configuration | #1 1294 |
| 390G Serial Number | 403871 |
| Control? | NO |
| BI Lot# | 33H8DM |
| Load# | 02 |
| Sterilizer# | ETJ |
| Technician | A.KARUPPASAMY |
| Sterilization Parameters | 55 |
| Aeration Parameters | |
| Implant? | |
| Notes | Result : As biological indicator placed in ETO showed Negative result. It is evident that BI Result showing appropriate sterilization |

GPS Map Camera



CSSD Department, Madurai 625009 ,Tamil Nadu, India
velammal medical College hospital and
research institution
Lat 9.889186°
Long 78.149852°
08/03/23 04:12 PM GMT +05:30

Google

<http://10.10.20.143/details.htm?sr=12>



VELAMMAL MEDICAL COLLEGE HOSPITAL AND RESEARCH INSTITUTE MADURAI - 625009

Biological Indicator for "Sterrad" Machine

3M™ Autoclave™ Auto-Loader Web App for Auto-Loader

3M™ Autoclave™ Auto-Loader Results Detail

| | |
|---------------------------------|--|
| Result | Pass |
| Start Time | 2023-01-16 07:00:51 |
| Well# | #6 |
| Serial Number | 121717 |
| BI Type | H2O2 |
| Control? | NO |
| BI Lot# | 33JYBJ |
| Sterilizer# | STERRAD |
| Load# | 01 |
| Implant? | - |
| Technician | A.KARUPPASAMY |
| Sterilizer Model | STERRAD |
| Cycle Type/Cycle Parameters | ADVANCE |
| Chemical Integrator?/Indicator? | |
| Notes | Result : As biological indicator placed in plasma showed Negative result. It is evident that BI Result showing appropriate sterilization |

GPS Map Camera



CSSD Department, Madurai 625009, Tamil Nadu, India
velammal medical College hospital and
research institution
Lat 9.889186°
Long 78.149852°
08/03/23 04:13 PM GMT +05:30

T. Thirumavukkarasu
Prof. T. THIRUMAVUKKARASU, M.D.,D.A.,
Dean
Velammal Medical College Hospital
and Research Institute
"Velammal Village"
Madurai-Tulicorin Ring Road
Anuppanadi, Madurai, T.N.-625 009